



DMXL



5 Gallons of Cold Water on Tap
Dynamic Dispense™ Automatically increases flow rate from 1.5 to 4.25 liters per minute.

When You Need a Lot of Cold Water...and You Need it Fast!

DMXL's extra large cold water reservoir gives you 5-gallons of clean, cold drinking water. Dynamic Dispense™ automatically increases dispense speed from 1.5 to 4.25 liters per minute for rapid refilling of your favorite container.

Designed with You in Mind

At Monet Water and Ice we believe that personal hydration products should reflect the people that use them, and the beauty, efficiency, and ease of use we all desire.

A Better Way to Hydrate

Monet's bottleless dispensers provide greater hygiene and increased sustainability compared to bottled options. The latest filtration and LED UV technologies provide a continuous supply of clean fresh tasting water without the need for bulky 5-gallon or plastic single-use bottles.

1318 Hart St., Honolulu, HI 96817

hawaiiwatertech.com


808-377-4311

 **HI** WATER
TECHNOLOGY



Effortless

Capacitive touch icons offer intuitive effortless dispensing.



Advanced

Internal microprocessor controls and monitors system functions.



Dynamic Dispense™

Dispense volume increases automatically from 1.5 to 4.25 liters per minute for rapid filling of large containers.



Accommodating

The extra-large 12-inch dispense area makes refilling even the largest containers a breeze.



Refreshing

Advanced reverse osmosis and multi-stage filtration deliver a continuous fresh, clean drinking water.



Clean

In-tank LED UV, anti-microbial surfaces, and no-touch filter changes keep the system clean inside and out.



5 Gallons of Cold Water

Extra Large Cold Reservoir to meet the most demanding hydration needs.

DMXL 

Shown
with
optional
8.5" riser.



1318 Hart St., Honolulu, HI 96817

hawaiiwatertech.com

808-377-4311

 **HI** WATER
TECHNOLOGY

Monet Water DMXL Model Specifications



Model	DMXL-R
Power	
Voltage (V)	115Vac/60Hz
Total Power Consumption	110W
Cold Water System	
Temperature Control	Thermistor
Thermistor Cycle	Option 1: 41 - 43°F
Cold Tank Size	5 gal (19 Liters)
Features	
Key Access	Capacitive Touch Key
Display	LED
Filter System	4 stage RO-80GPD (Optional pH/Mineral Filter Available)
In-Tank	UV LED
Color	Black
Weights and Measurements	
Net Weight	68 lbs (31Kg)
Gross Weight	77 lbs (35Kg)
Dimensions WxDxH	13.0"×19.7"×49.2" (330mm x 500mm x 1250mm)

DMXL 
5-Gallons of Cold Water on Tap
 Dynamic Dispense™ Automatically increases flow rate from 1.5 to 4.25 liters per minute.

1318 Hart St., Honolulu, HI 96817

hawaiiwatertech.com

808-377-4311

 **HI** WATER
TECHNOLOGY